

## GTM 120-10 W

|                                        |                                                                                               |
|----------------------------------------|-----------------------------------------------------------------------------------------------|
| <b>Max. Working height</b>             | 12,01 m                                                                                       |
| <b>Max. lateral reach</b>              | 5,57 m                                                                                        |
| <b>Max. Basket load / Lifting load</b> | 200 kg                                                                                        |
| <b>Movable up to working height</b>    | 12,01 m                                                                                       |
| <b>Max. Pitch angle</b>                | 16 %                                                                                          |
| <b>Drive type</b>                      | Batterie                                                                                      |
| <b>Non-Marking</b>                     | ja                                                                                            |
| <b>Indoor use only</b>                 | no                                                                                            |
| <b>Overall dimensions LxWxH</b>        | 3.38 x 0.98 x 1.99 m                                                                          |
| <b>Transport position length</b>       | 3,21 m                                                                                        |
| <b>Construction width</b>              | 0,98 m                                                                                        |
| <b>Transport position height</b>       | 1,99 m                                                                                        |
| <b>Ground clearance</b>                | 0,08 m                                                                                        |
| <b>Dead weight</b>                     | 4800 kg                                                                                       |
| <b>Rotating work basket</b>            | l/+90° / -90°                                                                                 |
| <b>Swivel range</b>                    | 355°                                                                                          |
| <b>Special features</b>                | Compact device /<br>Telescopic cage arm /<br>Only approved for<br>outdoor use by 1<br>person. |



